

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	487	(548/550).CCLS.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/06/27 08:56
S1	2	("6703513").PN.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2007/06/27 08:56

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1600RXA

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 MAR 15 WPIDS/WPIX enhanced with new FRAGHITSTR display format  
NEWS 3 MAR 16 CASREACT coverage extended  
NEWS 4 MAR 20 MARPAT now updated daily  
NEWS 5 MAR 22 LWPI reloaded  
NEWS 6 MAR 30 RDISCLOSURE reloaded with enhancements  
NEWS 7 APR 02 JICST-EPLUS removed from database clusters and STN  
NEWS 8 APR 30 GENBANK reloaded and enhanced with Genome Project ID field  
NEWS 9 APR 30 CHEMCATS enhanced with 1.2 million new records  
NEWS 10 APR 30 CA/CAPplus enhanced with 1870-1889 U.S. patent records  
NEWS 11 APR 30 INPADOC replaced by INPADOCDB on STN  
NEWS 12 MAY 01 New CAS web site launched  
NEWS 13 MAY 08 CA/CAPplus Indian patent publication number format defined  
NEWS 14 MAY 14 RDISCLOSURE on STN Easy enhanced with new search and display fields  
NEWS 15 MAY 21 BIOSIS reloaded and enhanced with archival data  
NEWS 16 MAY 21 TOXCENTER enhanced with BIOSIS reload  
NEWS 17 MAY 21 CA/CAPplus enhanced with additional kind codes for German patents  
NEWS 18 MAY 22 CA/CAPplus enhanced with IPC reclassification in Japanese patents  
NEWS 19 JUN 18 CA/CAPplus to be enhanced with pre-1967 CAS Registry Numbers  
NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT  
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),  
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items  
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 08:59:35 ON 27 JUN 2007

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE ENTRY TOTAL SESSION

FULL ESTIMATED COST

0.21 0.21

FILE 'REGISTRY' ENTERED AT 08:59:46 ON 27 JUN 2007  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file  
provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2007 HIGHEST RN 939408-72-7  
DICTIONARY FILE UPDATES: 26 JUN 2007 HIGHEST RN 939408-72-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006



Please note that search-term pricing does apply when  
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and  
predicted properties as well as tags indicating availability of  
experimental property data in the original document. For information  
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :  
7 8 10 12 14 15 17 19 20 21  
ring nodes :  
1 2 3 4 5  
chain bonds :  
2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17  
ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS

14:CLASS


15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



G1 O,S

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 09:03:23 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 76818 TO ITERATE

2.6% PROCESSED 2000 ITERATIONS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

22 ANSWERS

FULL FILE PROJECTIONS: ONLINE \*\*INCOMPLETE\*\*  
BATCH \*\*INCOMPLETE\*\*



PROJECTED ITERATIONS: 1519871 TO 1552849

PROJECTED ANSWERS: 15156 TO 18642

L2 22 SEA SSS SAM L1

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS


14:CLASS

15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L3

STRUCTURE UPLOADED

=> d  
L3 HAS NO ANSWERS  
L3 STR



G1 O, S  
G2 H, O  
G3 C, O, S, N

Structure attributes must be viewed using STN Express query preparation.



=> s l3  
SAMPLE SEARCH INITIATED 09:06:02 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 52227 TO ITERATE

3.8% PROCESSED 2000 ITERATIONS 1 ANSWERS  
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*INCOMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 1030907 TO 1058173  
PROJECTED ANSWERS: 216 TO 828

L4 1 SEA SSS SAM L3

=>  
Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H


Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS

14:CLASS

15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

=> d  
 L5 HAS NO ANSWERS  
 L5 STR



G1 O, S  
 G2 H, O  
 G3 C, O, S, N  
 G4 C, H

Structure attributes must be viewed using STN Express query preparation.

=> s 15  
 SAMPLE SEARCH INITIATED 09:07:15 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 52227 TO ITERATE

3.8% PROCESSED 2000 ITERATIONS 1 ANSWERS  
 INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)  
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*INCOMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 1030907 TO 1058173  
 PROJECTED ANSWERS: 216 TO 828

L6 1 SEA SSS SAM L5

=> fil stnguide  
 COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	5.85	6.06

FILE 'STNGUIDE' ENTERED AT 09:07:22 ON 27 JUN 2007  
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT  
 COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.  
 LAST RELOADED: Jun 25, 2007 (20070625/UP).

=>  
 Uploading  
 THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE  
 Do you want to switch to the Registry File?  
 Choice (Y/n):  
 Switching to the Registry File...  
 Some commands only work in certain files. For example, the EXPAND  
 command can only be used to look at the index in a file which has an



index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> FILE REGISTRY

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.06	6.12

FILE 'REGISTRY' ENTERED AT 09:08:00 ON 27 JUN 2007  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 26 JUN 2007 HIGHEST RN 939408-72-7  
DICTIONARY FILE UPDATES: 26 JUN 2007 HIGHEST RN 939408-72-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006



Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :  
 7 8 10 12 14 15 17 19 20 21  
 ring nodes :  
 1 2 3 4 5  
 chain bonds :  
 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17  
 ring bonds :  
 1-2 1-5 2-3 3-4 4-5  
 exact/norm bonds :  
 1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17  
 exact bonds :  
 2-3 3-4 4-5  
 isolated ring systems :  
 containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS

14:CLASS


15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L7 STRUCTURE UPLOADED

=> d

L7 HAS NO ANSWERS

L7 STR



G1 O,S

G2 H,O

G3 C,O,S,N

G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s 17

SAMPLE SEARCH INITIATED 09:08:19 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 716 TO ITERATE

100.0% PROCESSED 716 ITERATIONS 14 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 12715 TO 15925  
PROJECTED ANSWERS: 56 TO 504

L8 14 SEA SSS SAM L7

=> s 17 full



FULL SEARCH INITIATED 09:08:23 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 14290 TO ITERATE

100.0% PROCESSED 14290 ITERATIONS 260 ANSWERS  
SEARCH TIME: 00.00.02

L9 260 SEA SSS FUL L7

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :  
2-3 3-4 4-5  
isolated ring systems :  
containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS  
14:CLASS  
15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L10 STRUCTURE UPLOADED

=> d

L10 HAS NO ANSWERS

L10 STR



G1 O,S

G2 H,O

G3 C,O,S,N

G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l19

L19 NOT FOUND

The L-number entered has not been defined in this session, or it has been deleted. To see the L-numbers currently defined in this session, enter DISPLAY HISTORY at an arrow prompt (=>).

=> s l10

SAMPLE SEARCH INITIATED 09:09:23 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 630 TO ITERATE

100.0% PROCESSED

630 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 11095 TO 14105  
PROJECTED ANSWERS: 5,TO 234

L11 5 SEA SSS SAM L10

=> s l10 full

FULL SEARCH INITIATED 09:09:26 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 12965 TO ITERATE



100.0% PROCESSED 12965 ITERATIONS  
SEARCH TIME: 00.00.02

123 ANSWERS

L12 123 SEA SSS FUL L10

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS  
14:CLASS  
15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L13 STRUCTURE UPLOADED

=> d

L13 HAS NO ANSWERS

L13 STR



G1 O,S

G2 H,O

G3 C,O,S,N

G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l13

SAMPLE SEARCH INITIATED 09:10:41 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 22 TO ITERATE

100.0% PROCESSED 22 ITERATIONS

3 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 159 TO 721

PROJECTED ANSWERS: 3 TO 163

L14 3 SEA SSS SAM L13

=> s l13 full

FULL SEARCH INITIATED 09:10:44 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 642 TO ITERATE



100.0% PROCESSED 642 ITERATIONS  
SEARCH TIME: 00.00.01

51 ANSWERS

L15 51 SEA SSS FUL L13

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS  
14:CLASS  
15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

L16 STRUCTURE UPLOADED

=> d

L16 HAS NO ANSWERS

L16 STR



G1 O,S

G2 H,O

G3 C,O,S,N

G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l16

SAMPLE SEARCH INITIATED 09:11:20 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 23 TO ITERATE

100.0% PROCESSED 23 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 173 TO 747

PROJECTED ANSWERS: 0 TO 0

L17 0 SEA SSS SAM L16

=> s l16 full

FULL SEARCH INITIATED 09:11:23 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 361 TO ITERATE

100.0% PROCESSED 361 ITERATIONS

0 ANSWERS



SEARCH TIME: 00.00.01

L18 0 SEA SSS FUL L16

=>

Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str





chain nodes :  
 7 8 10 12 14 15 17 19 20 21  
 ring nodes :  
 1 2 3 4 5  
 chain bonds :  
 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17  
 ring bonds :  
 1-2 1-5 2-3 3-4 4-5  
 exact/norm bonds :  
 1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17  
 exact bonds :  
 2-3 3-4 4-5  
 isolated ring systems :  
 containing 1 :

G1:O,S

G2:H,O


G3:C,O,S,N

G4:C,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS  
 14:CLASS  
 15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

=> d  
L19 HAS NO ANSWERS  
L19 STR



G1 O,S  
G2 H,O  
G3 C,O,S,N  
G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l19  
SAMPLE SEARCH INITIATED 09:12:22 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 346 TO ITERATE

100.0% PROCESSED 346 ITERATIONS 16 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 5804 TO 8036  
PROJECTED ANSWERS: 80 TO 560



L20 16 SEA SSS SAM L19

=> s l19 full  
FULL SEARCH INITIATED 09:12:26 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 6636 TO ITERATE

100.0% PROCESSED 6636 ITERATIONS 323 ANSWERS  
SEARCH TIME: 00.00.04

L21 323 SEA SSS FUL L19

=>  
Uploading C:\Program Files\Stnexp\Queries\QUERIES\10756850.str



chain nodes :

7 8 10 12 14 15 17 19 20 21

ring nodes :

1 2 3 4 5

chain bonds :

2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

ring bonds :

1-2 1-5 2-3 3-4 4-5

exact/norm bonds :

1-2 1-5 2-19 3-20 4-21 5-7 7-8 8-10 8-12 12-14 12-15 15-17

exact bonds :

2-3 3-4 4-5

isolated ring systems :

containing 1 :

G1:O,S

G2:H,O

G3:C,O,S,N

G4:C,H


Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 10:CLASS 12:CLASS

14:CLASS

15:CLASS 17:CLASS 19:CLASS 20:CLASS 21:CLASS

=> d  
 L22 HAS NO ANSWERS  
 L22 STR



G1 O,S  
 G2 H,O  
 G3 C,O,S,N  
 G4 C,H

Structure attributes must be viewed using STN Express query preparation.

=> s l22  
 SAMPLE SEARCH INITIATED 09:13:34 FILE 'REGISTRY'  
 SAMPLE SCREEN SEARCH COMPLETED - 8 TO ITERATE

100.0% PROCESSED 8 ITERATIONS 0 ANSWERS  
 SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
 BATCH \*\*COMPLETE\*\*  
 PROJECTED ITERATIONS: 8 TO 329  
 PROJECTED ANSWERS: 0 TO 0

L23 0 SEA SSS SAM L22

=> s l22 full  
 FULL SEARCH INITIATED 09:13:37 FILE 'REGISTRY'  
 FULL SCREEN SEARCH COMPLETED - 179 TO ITERATE

100.0% PROCESSED 179 ITERATIONS 1 ANSWERS  
 SEARCH TIME: 00.00.01

L24 1 SEA SSS FUL L22

=> d his

(FILE 'HOME' ENTERED AT 08:59:35 ON 27 JUN 2007)

FILE 'REGISTRY' ENTERED AT 08:59:46 ON 27 JUN 2007

L1 STRUCTURE UPLOADED  
 L2 22 S L1  
 L3 STRUCTURE UPLOADED

L4 1 S L3  
L5 STRUCTURE UPLOADED  
L6 1 S L5

FILE 'STNGUIDE' ENTERED AT 09:07:22 ON 27 JUN 2007

FILE 'REGISTRY' ENTERED AT 09:08:00 ON 27 JUN 2007

L7 STRUCTURE UPLOADED  
L8 14 S L7  
L9 260 S L7 FULL  
L10 STRUCTURE UPLOADED  
L11 5 S L10  
L12 123 S L10 FULL  
L13 STRUCTURE UPLOADED  
L14 3 S L13  
L15 51 S L13 FULL  
L16 STRUCTURE UPLOADED  
L17 0 S L16  
L18 0 S L16 FULL  
L19 STRUCTURE UPLOADED  
L20 16 S L19  
L21 323 S L19 FULL  
L22 STRUCTURE UPLOADED  
L23 0 S L22  
L24 1 S L22 FULL